

Your Guide To BED BUGS



AUGUST 2004

About the Author...

Dr. Michael F. Potter is a professor and urban entomologist at the University of Kentucky. Dr. Potter spends much of his time helping people with their pest problems.

Author's acknowledgment: Thanks to Jay Bruesch (Plunkett's Pest Control), Richard Cooper (Cooper Pest Control), Harold Harlan (National Pest Management Association), and Richard Kramer (American Pest Management) for sharing their observations and insights from the field.

PCT MEDIA GROUP

This hand-out was published by PCT magazine, a trade magazine that is distributed monthly to structural pest management professionals throughout the United States. PCT is published by 24-year-old GIE Media, Cleveland, Ohio.



Understanding AND CONTROL

After vanishing for a half-century, bed bugs are back with a vengeance. Use this hand-out to educate employees and customers before doing battle.

► BY MICHAEL F. POTTER

Most householders and business owners of this generation have never seen a bed bug. Until recently, they also were a rarity among pest management professionals. Bed bug infestations were common in the United States before World War II. But with improvements in hygiene, and especially the widespread use of DDT during the 1940s and '50s, the bugs all but vanished. The pests remained prevalent, however, in other regions of the world including Asia, Africa, Central/South America and Europe. In recent years, bed bugs have made a comeback in the U.S. They are increasingly being encountered in homes, apartments, hotels, motels, dormitories, shelters and modes of transport. Immigration and international travel have undoubtedly contributed to the resurgence of bed bugs in the U.S. Changes in modern pest control practice — and less effective bed bug pesticides — are other factors suspected for the recurrence.

DESCRIPTION AND HABITS. Bed bugs are small, brownish, flattened insects that feed solely on the blood of animals. The common bed bug, *Cimex lectularius*, is the species most adapted to living with humans. It has done so since ancient times. Bed bugs are mentioned in medieval European texts and in classical Greek writings back to the time of Aristotle. Other bed bug species prefer to feed on wild hosts, especially bats and birds.

Adult bed bugs are about 1/4-inch long and reddish-brown, with oval,



Bed bugs and their eggs (center of the photo).



BITES & CONCERNS

Bed bugs usually bite people at night while they are sleeping. They feed by piercing the skin with an elongated beak through which they withdraw blood. Engorgement takes about three to 10 minutes, yet the person seldom knows they are being bitten. Symptoms thereafter vary with the individual. Some people develop an itchy welt or localized swelling, while others have little or no reaction. Unlike flea bites that occur mainly around the ankles, bed bugs feed on any skin exposed while sleeping (face, neck, shoulders, arms, hands, etc.). The welts and itching are often attributed to other causes, such as mosquitoes. For these reasons, infestations often go a long time unnoticed, and can become quite large before being detected. Conversely, it is important to recognize that not all bites or bite-like reactions are due to bed bugs. Confirmation usually requires finding and identifying the bugs themselves.

A common concern with bed bugs is whether they transmit diseases. Although bed bugs can harbor pathogens in their bodies, transmission to humans is considered highly unlikely. For this reason, they are not considered a serious disease threat. Their medical significance is mainly limited to the itching and inflammation from their bites. The usual treatment prescribed is topical application of antiseptic or antibiotic creams or lotions to prevent infection.



Disease transmission by bed bugs to humans is considered highly unlikely.

flattened bodies. The immatures (nymphs) resemble the adults, but are smaller and somewhat lighter in color. Bed bugs do not fly, but can move rapidly over floors, walls, ceilings and other surfaces. Female bed bugs lay their eggs in secluded areas, depositing up to five a day and 500 during a lifetime. The eggs are tiny, whitish, and hard to see on most surfaces without magnification (individual eggs are about the size of a dust speck). When first laid, the eggs are sticky, causing them to adhere to substrates. Newly hatched nymphs are no bigger than a pinhead. As they grow, they molt (shed their skin) five times before reaching maturity. A blood meal is needed between each successive molt. Under favorable conditions (70-90°F), the bugs can complete development in as little as a month, producing three or more generations per year. Cool temperatures or limited access to a blood meal extends the development time. Bed bugs are resilient. Nymphs can survive months without feeding and the adults for more than a year. Infestations therefore are unlikely to diminish by leaving premises unoccupied. Although *C. lectularius* prefers feeding on humans, it will also bite other warm-blooded animals, including pets.

Bed bugs are active mainly at night. During the daytime, they prefer to hide close to where people sleep. Their flattened bodies enable them to fit into tiny crevices — especially those associated with mattresses, box springs, bed frames and headboards. Bed bugs do not have nests like ants or bees, but do tend to congregate in habitual hiding places. Characteristically, these areas are marked by dark spotting and staining, which is the dried excrement of the bugs. Also present will be eggs and eggshells, molted skins of maturing nymphs and the bugs themselves. Another likely sign of bed bugs is rusty or reddish spots of blood on bed sheets or mattresses. Heavy infestations are sometimes accompanied by a “buggy” or sweetish odor, although such smells are not always apparent.

Bed bugs prefer to hide close to where they are

Bed bugs' medical significance is mainly limited to the itching and inflammation from their bites.

Your Guide To **BED BUGS**



feeding. However if necessary, they will crawl more than 100 feet to obtain a blood meal. Initial infestations tend to be around beds, but by the time the bugs are discovered they may have scattered throughout the bedroom, occupying any crevice or protected location. They also may spread to adjacent rooms or apartments.

Right: Bed bugs often congregate along seams of mattresses. The blackish spots are excrement. Below right: An adult bed bug crawling along a mattress seam.



HOW INFESTATIONS ORIGINATE. It often seems that bed bugs arise from nowhere. The bugs are efficient hitchhikers and are usually transported in on luggage, clothing, beds, furniture, etc. Outbreaks can often be traced to travel from countries where the bugs are common, such as Asia, Africa, Europe, the Caribbean, or Central/South America. This is a particular problem for hotels, motels and apartments, where turnover of occupants is constant. Bed bugs are small, cryptic and agile, escaping detection after crawling into suitcases, boxes and belongings. The eggs are almost impossible to see when laid on most surfaces. Purchase or use of secondhand mattresses, box springs and furniture is another way that the bugs are quickly transported into previously non-infested dwellings.

Once bed bugs are established, they often spread room to room throughout a building. Unlike cockroaches that feed on filth, the level of cleanliness has little to do with most bed bug infestations. Pristine homes, hotels and apartments have plenty of hiding places and an abundance of warm-blooded hosts. Thus, they are almost as vulnerable to infestation as are places of squalor.

When bed bug-like insects are found, it's important to consider whether bats, swallows, chimney swifts, pigeons or other wild hosts are involved. Although similar in appearance, species of bed bugs that normally feed on bats and birds can be differentiated from those that prefer humans. Entomologists and knowledgeable pest control firms can make this determination.

CONTROLLING INFESTATIONS. Bed bugs are challenging creatures to control. Inspections and treatments must be thorough and elimination is not always a certainty. In most cases, it will be

prudent to enlist the services of a professional pest control firm. Experienced companies know where to look for bed bugs, and have an assortment of management tools at their disposal. Owners and occupants will need to assist the professional. Affording access for inspection and treatment is essential, and excess clutter will have to be removed. In some cases, infested mattresses and box springs will need to be discarded. Since bed bugs can disperse throughout a building, it also may be necessary to inspect adjoining rooms and apartments.

WHERE THEY HIDE. Bed bugs can live in almost any crevice or protected location. The most common place to find them is the bed. Bed bugs often hide within seams, tufts and crevices of the mattress, box spring, bed frame and headboard. A thorough inspection requires dismantling the bed, and standing the components on edge. Things to look for are the bugs themselves, and the light-brown, molted skins of the nymphs. Dark spots of dried bed bug excrement are often present along mattress seams or wherever the bugs have resided. Oftentimes the gauze fabric underlying the box spring must be removed to gain access for inspection and possible treatment. Successful treatment of mattresses and box springs is difficult, however, and infested components may need to be discarded. Cracks and crevices of bed frames should be examined, especially if the frame is wood. (Bed bugs have an affinity for wood and fabric more so than metal or plastic). Headboards secured to walls should also be removed and inspected. In hotels and motels, the area behind the headboard is often the first place that the bugs become established.



Your Guide To **BED BUGS**

Bed bugs also hide among items stored under beds.

Many areas other than beds can harbor bed bugs. Nightstands and dressers should be emptied and examined inside and out, then tipped over to inspect the woodwork underneath. Oftentimes the bugs will be hiding in cracks, corners, and other recesses. Upholstered chairs and sofas also should be checked, especially within seams, tufts, skirts and crevices beneath cushions. Sofas can be major bed bug hotspots when used for sleeping. Like beds, they can be difficult to treat and may need to be discarded. Other common places to find bed bugs include: along and under the edge of wall-to-wall carpeting (especially behind beds and furniture); cracks in wood molding; ceiling-wall junctures; behind picture frames, wall-mounts, switch plates and outlets; under loose wallpaper; amongst clothing stored in closets; and inside clocks, phones, televisions and smoke detectors.

The challenge is to find and treat all places where bugs and eggs may be present. Bed bugs tend to congregate in certain areas, but it is common to find an individual or some eggs scattered here and there. Persistence and a bright flashlight are requisites for success. Inspectors sometimes also inject a pyrethrum "flushing agent" into crevices to help reveal where bugs may be hiding. A thorough treatment of a home, hotel, or apartment may take up to several hours.

TREATMENT PROCEDURES. Bed bugs were treated years ago by wholesale spraying of beds, floors, walls, furniture, etc., with DDT. This practice is no longer permitted. Thoroughness is

Owners and occupants have important pre-treatment responsibilities, i.e., reducing clutter.

still important, but treatments today are more targeted and judicious. It often takes hours to properly inspect and treat a bed bug infestation, and follow-up visits are usually required.

As mentioned earlier, owners and occupants have important pre-treatment responsibilities. Reducing clutter is a necessity. Belongings strewn about rooms afford many places for bed bugs to hide, and impedes inspection and treatment. Infested bedding and garments will need to be bagged and laundered (120°F minimum), or discarded, since these items cannot be treated with insecticides. Vacuums can be very useful for removing bugs and eggs from mattresses, carpet, walls and other surfaces. When vacuuming, pay particular attention to seams, tufts and edges of mattresses and box springs, and the perimeter edge of wall-to-wall carpets. Afterward, dispose of the vacuum contents in a sealed trash bag. Steam cleaning of carpets is also helpful for killing bugs and eggs that vacuuming may have missed.

While the former measures are helpful, insecticides are important for bed bug elimination. Pest control professionals treat using a variety of low-odor sprays, dusts and aerosols. Baits designed to control ants and cockroaches are ineffective. Application entails treating all cracks and crevices where the bugs are discovered or tend to hide.



Far left: A pest management professional inspecting an infested couch. The other two images show close-ups of bed bugs and eggs within the fabric.

Your Guide To **BED BUGS**



FOR MORE INFORMATION...

Pest management professionals are encouraged to use this brochure as a hand-out to customers who have questions about treating for bed bugs. For additional quantities, contact PCT magazine at 800/456-0707.

Some bed bug species are parasites of bats or birds, and may bite people if the wild hosts are no longer available. If bat bugs or bird bugs are involved, roosting and nesting sites should also be treated and the animals excluded from the building.

THROW OUT THE BED? Eliminating bed bugs from mattresses and box springs is especially challenging. If there are holes or tears in the fabric, the bugs and eggs may be inside, as well as outside. There also are restrictions on how beds can be treated with pesticides. For these reasons, pest control firms often recommend that infested beds be discarded. If disposal isn't an option, encasing the mattress and box spring will be helpful if bugs are still present. (Allergy supply companies sell zippered bed encasements for dust mite prevention.) Some companies treat seams, tufts, and crevices of bed components, but they usually will not spray the entire mattress surface. They will *not* spray bed sheets, blankets or clothing. Vacuuming will further help to remove bugs and eggs from mattresses and box springs that cannot be discarded. Some pest control firms also treat beds with portable steam machines. The technique is useful, but does not


kill bugs or eggs that are hidden inside the box spring or mattress. Fumigation is another way to de-infest beds and hard-to-treat items, but the treatment is not always available. In extreme cases, entire buildings have been fumigated for bed bugs. The procedure is costly though, and involves covering the building in a tarp and injecting a lethal gas.

AVOIDING INFESTATIONS. The cryptic, mobile nature of bed bugs limits their prevention. Avoidance is especially challenging in hotels, motels and apartments because occupants and their belongings are constantly changing. This affords many opportunities for the bugs to be introduced. Householders should be wary of acquiring secondhand beds, bedding and furniture. At a minimum, such items should be examined closely before being brought into the home. When traveling in countries where bed bugs are prevalent, it might be prudent to examine the bed and headboard area for signs of the bugs, and elevate luggage off the floor. Although incidence of bed bugs in the United States is increasing, they remain rare in comparison to most other pests. Familiarity will help to avoid infestation, or at least prompt earlier intervention by a professional. ©

All photos are courtesy of M.F. Potter.



Top left: Bed bugs often hide along edges of carpeting. Top right: A pest management professional performing an inspection. Bottom: A close-up of bed bug eggs, nymphs and adults.



don't let the bed bugs bite



GENTROL® REACHES NEW HEIGHTS OF BED BUG CONTROL.

Exceed customers' lofty expectations and prevent pests from becoming a problem with Gentrol, the only Insect Growth Regulator (IGR) approved for bed bugs.

Gentrol IGR stops insects from completing normal development into adults. As part of an integrated pest management program, it provides long-term control that translates into increased customer satisfaction.

Rise to the challenge and use Gentrol IGR to control cockroaches, fruit flies, drain flies and stored product pests as well.

Call 1-800-248-7763 or visit www.zoëcon.com to help your customers sleep easy.



Gentrol®